

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A method for obtaining closed form expressions for subsurface temperature depth distribution along with its error bounds, the method comprising:
using a stochastic heat conduction equation incorporating random thermal conductivity to obtain a mean and variance in temperature fields for at least two different types ~~a set of~~ boundary conditions involving at least three different heat sources; the ~~said equation consisting of~~ being:

$$\frac{d}{dz} \{ (\bar{K} + K'(z)) \frac{dT}{dz} \} = -A(z) \quad (1)$$

where

T is the temperature (°C),

A(z) is the radiogenic heat source ($\mu\text{W}/\text{m}^3$),

$K(z) = \bar{K} + K'(z)$ is the thermal conductivity ($\text{W}/\text{m}^\circ\text{C}$)

which is expressed as a sum of a deterministic component and a random component

$K'(z)$ is the random component with mean zero and a Gaussian colored noise correlation structure represented by

$$E(K'(z)) = 0 \quad (2)$$

$$E(K'(z_1)K'(z_2)) = \sigma \frac{2}{K} = \sigma \frac{2}{K} e^{-\rho|z_1 - z_2|} \quad (3)$$

where

$\sigma \frac{2}{K}$ is the variance is in thermal conductivity ($\text{W}/\text{m}^\circ\text{C}$)

ρ is the correlation decay parameter m^{-1} (or $1/\rho$ is the correlation length scale) and z_1 and z_2 are the depths (m).

2. (Currently Amended) A method as ~~elaimed~~in claim 1 wherein ~~the~~one of said boundary conditions ~~consists of~~represents the condition of heat sources and is selected from the group consisting of Zero ($A(z)=0$), Constant ($A(z) = A$) and exponentially decreasing with depth ($A(z) = A_0 e^{-z/D}$)

3. (Currently Amended) A method as ~~elaimed~~in claim 1 wherein ~~the~~said boundary conditions comprises constant surface temperature and constant surface heat flow.

4. (Currently Amended) A method as ~~elaimed~~in claim 1 wherein ~~the~~said boundary conditions comprises constant surface temperature and constant basal heat flow.

5. (Currently Amended) A method as ~~elaimed~~in claim 1 wherein a parameter used is that of radiogenic heat generation.

6. (Currently Amended) A method as ~~elaimed~~in claim 1 ~~wherein the method~~ is carried out electronically using a computing means and wherein appropriate numerical values are given for controlling thermal parameters directly in ~~the~~boxes that appear on ~~the~~a screen of the computing means, thereby instantaneously computing and plotting the mean and error bounds on the temperature depth distribution.

7. (Currently Amended) A method as ~~elaimed~~ in claim 1 wherein the subsurface is ~~selected from~~ one of a group consisting of: an oil field, a natural gas field, tectonically active area and a mineral resource area.